

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	(US-20020062454-\$).did..	US-PGPUB	OR	ON	2004/11/22 14:59
L4	1	3 and slot	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:00
L8	0	3 and database	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:03
L9	1	3 and database	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:56
L10	1	3 and master	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:19
L11	1	3 and master same designat\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:20
L12	1	3 and master same (replac\$3 switch\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:21
L13	1	3 and (manag\$4 supervisor master) same (replac\$3 switch\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:24
L14	0	3 and (manag\$4 supervisor master) same (replac\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:21
L15	1	3 and (manag\$4 supervisor master) same (rule critier\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:24

L16	1	3 and chassis	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:50
L17	1	3 and id	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:57
L18	574	high with availability with manage\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:57
L19	1	3 and management adj module	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:16
L20	1	3 and temperature	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:25
L21	1	3 and (cpu memory)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:47
L22	1	3 and (mib base)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:49
L23	1	3 and (mib)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:51
L24	1	3 and switch adj module	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:52
L25	1	3 and snmp same server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:53

L26	1	3 and stor\$3 same manage\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:54
L27	1	3 and management adj module same agent	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:57
L28	1	3 and agent	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:59
L29	1	3 and chassis	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 16:59
L31	1806	server same (chassis rack) and (database base mib)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:01
L32	3	server same (chassis rack) same (database base mib) same (slot) same (id identif\$7)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:02
L33	40	server same (chassis rack) and (database base mib) same (slot) same (id identif\$7)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:02
L34	86	("4692918" "4918589" "5155808" "5161192" "5226120" "5261044" "5301303" "5319644") . PN. OR ("5522042") . URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/11/22 17:05
L35	101	("4692918" "4918589" "5018137" "5060228" "5088032" "5144622" "5155808" "5161192" "5179554" "5226120" "5261044" "5301303" "5319644" "5432907" "5497463" "5522042" "5764982") . PN. OR ("2002/0133583" "5522042" "5812771" "6415314" "6618762") . URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/11/22 17:06

L36	34	server and (modular midplane blade cluster array rack) and 35	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:08
L37	35	server and (modular midplane blade cluster array rack chassis) and 35	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:08
L38	32	37 and (master primary supervisor main active)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:10
L39	15	37 and (master primary supervisor main active) same (elect\$3 select\$3 choos\$3 appoint\$3 designat\$3 determin\$3 pick\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:40
L40	35	37 and (manage\$4 master primary supervisor main active) same (elect\$3 select\$3 choos\$3 appoint\$3 designat\$3 determin\$3 pick\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:13
L41	30	37 and (manage\$4 master primary supervisor main active) with (elect\$3 select\$3 choos\$3 appoint\$3 designat\$3 determin\$3 pick\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:16
L42	1	(US-5522042-\$) .did.	USPAT	OR	ON	2004/11/22 17:15
L43	1	42 and elect\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:17
L44	1	42 and address	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:19
L45	1	42 and (cpu power temperature)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:53

L46	1	42 and manage\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:20
L47	1	(US-6330605-\$).did.	USPAT	OR	ON	2004/11/22 17:39
L48	1	47 and lowest	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:40
L49	10	(master primary supervisor main active) same (elect\$3 select\$3 choos\$3 appoint\$3 designat\$3 determin\$3 pick\$3) same lowest with "ip address"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:48
L50	0	42 and (temperature)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:53
L51	1	(US-20030069953-\$).did.	US-PGPUB	OR	ON	2004/11/22 18:13
L52	1	51 and lowest	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 18:33
L53	1	42 and slot same chassis	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 19:05
L54	1	42 and user	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 19:20
L55	1	42 and snmp	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 19:20

L56	13	(US-20020062454-\$ or US-20030069953-\$ or US-20020080807-\$).did. or (US-5987621-\$ or US-6182157-\$ or US-6609213-\$ or US-6675199-\$ or US-6675217-\$ or US-6330605-\$ or US-5522042-\$ or US-5226120-\$ or US-5432907-\$ or US-6343320-\$).did.	US-PGPUB ; USPAT	OR	ON	2004/11/22 19:59
L57	7	56 and lowest	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 20:03
S1	1605	rack with server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:13
S2	1971	(enclosure rack) with server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:24
S3	1	(enclosure rack) with server and (elect\$3) with server with (master primary active)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:24
S4	1	(enclosure rack blade) with server and (elect\$3) with server with (master primary active)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:25
S5	90	(elect\$3) with server with (master primary active)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:25
S6	7	(elect\$3) with server with (master primary active) and 709/223-224. ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:26
S7	90	(elect\$3 select\$3) with server with (master primary active) and 709/223-224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:26

S8	94	(elect\$3 select\$3 choos\$3) with server with (master primary active) and 709/223-224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:43
S9	28	S8 and (threshold metric)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:43
S10	17	S8 and slot	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:29
S11	125	failover and 709/223-224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:33
S12	3451	server with cluster	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:43
S13	931	S12 and (threshold metric)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:43
S14	135	(elect\$3 select\$3 choos\$3) with server with (master primary active) and S12	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:48
S15	5393	server with (farm array)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:12
S16	44	S15 and (elect\$3 select\$3 choos\$3) with server with (master primary active) and S12	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:20
S17	151	S15 and (elect\$3 select\$3 choos\$3) with server with (master primary active)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:12

S18	107	S17 not S14	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:51
S19	10	S18 and 709/223-224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 18:51
S20	8	("6243825" "6272386" "6314526" "6347328" "6529960" "6542929" "6564336").PN. OR ("6675199").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/11/20 18:52
S21	1	("2002/0062454").URPN.	USPAT	OR	ON	2004/11/20 18:53
S22	11	("5479653" "5796934" "5805785" "5812751" "5996086" "6014669" "6055574" "6067545" "6496942" "6523130" "6526521").PN. OR ("6609213").URPN.	US-PGPUB ; USPAT; USOCR	OR	ON	2004/11/20 18:53
S23	919	server with (modular midplane)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:12
S24	39	S23 and (elect\$3 select\$3 choos\$3) with server with (master primary active)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:19
S25	526	server with blade	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:20
S26	5	S25 and (elect\$3 select\$3 choos\$3) with server with (master primary active)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:20
S27	35	S25 and metric	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:21

S28	33	S25 and 709/223-224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:21
S29	69	server with rack and 709/223-224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:24
S30	50	S29 and (temperature power)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:25
S31	40	S30 and (master primary active main)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:23
S32	15	S30 and (master primary active main) with server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:25
S33	506	server with (modular midplane blade cluster array rack) and 709/223-224.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 17:07
S34	1	S3 and (temperature power)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:25
S35	250	S33 and (temperature power)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:25
S36	113	S35 and (master primary active main) with server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:26
S37	9319	server with (modular midplane blade cluster array rack)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:26

S38	113	S35 and (master primary active main) with server and (temperature power health performance)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:27
S39	2240	S37 and (master primary active main) with server and (temperature power health performance)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:27
S40	609	S37 and (master primary active main) with server and (temperature power health performance) same (metric threshold status)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:28
S41	132	S37 and (master primary active main) with (choos\$3 elect\$3 select\$3 appoint\$3 designat\$3 determin\$3 pick\$3) with server and (temperature power health performance) same (metric threshold status)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/20 19:30
S42	472	S37 and (master primary active main) with (choos\$3 elect\$3 select\$3 appoint\$3 designat\$3 determin\$3 pick\$3) and (temperature power health performance) same (metric threshold status)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:12
S43	12	S42 and (ip adj address) with (low\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:03